




Cementoskin® bathtub with integrated overflow
 AVAS1041E_

Benedini Associati, 2020



Finiture

-  Cementoskin® brick red
-  Cementoskin® green
-  Cementoskin® dark grey
-  Cementoskin® light grey
-  Cementoskin® coffee

Materiali




-  Concrete

Bathtub with round interior realised in Cementoskin® (coloured concrete paste) in different colors, with overflow integrated in the chromed waste trap .MET0722 included, without tap holes. For an easier installation of the bathtubs we recommend to use the template for the positioning of the waste trap AKITPZVAS.

Altezza:	58 cm	22" 53/64 inches
Diametro:	130 cm	51" 3/16 inches
Peso:	235 kg	518 lbs
Capacita':	465 l	123 gal
Confezione:	143 x 143 x 68 cm	65" 3/8 x 65" 3/8 x 28" 3/8 inches
Peso della confezione:	300 kg	661 lbs




Main dimensions






Dimensions for recess





Dimensions for wall mounted taps




	A*	B**	C
FEZ 2 (EFEZ027)	750 (29 17/32)	-	80 (3 5/32)
LIMÓN (ELIM443)	750 (29 17/32)	-	80 (3 5/32)
MEMORY (EMEM324, EMEM343)	750 (29 17/32)	-	80 (3 5/32)
(EMEM342)	750 (29 17/32)	-	50 (1 31/32)
MEMORY MIX (EMIX437)	750 (29 17/32)	-	50 (1 31/32)
SQUARE (ERUB1117)	-	700 (27 9/16)	50 (1 31/32)
(ERUB1118)	-	700 (27 9/16)	80 (3 5/32)
SEN (ESEN0912V)	-	700 (27 9/16)	80 (3 5/32)

* inserasse gruppo / axial distance for tap
** filo inferiore gruppo / Tap's lower edge



Quote per piantane da terra



	A	B	C	D
FEZ 2 (EFEZ026, .MET885)	90 (3"35/64)	175 (6"57/64)	421 (16"37/64)	822 (32"23/64)
(EFEZ028)	135 (5"5/16)	230 (9"1/6)	477 (18"25/32)	877 (34"17/32)
LIMÓN (ELIM425)	135 (5"5/16)	230 (9"1/6)	477 (18"25/32)	877 (34"17/32)
MEMORY (EMEM325)	135 (5"5/16)	230 (9"1/6)	477 (18"25/32)	877 (34"17/32)
MEMORY MIX (EMIX425)	135 (5"5/16)	230 (9"1/6)	477 (18"25/32)	877 (34"17/32)
LIMÓN / MEMORY / MEMORY MIX (EMEM327)	90 (3"35/64)	175 (6"57/64)	421 (16"37/64)	822 (32"23/64)
SQUARE (ERUB1112, ERUB1115)	90 (3"35/64)	175 (6"57/64)	421 (16"37/64)	822 (32"23/64)
SEN (ESEN0911, ESEN0977)	90 (3"35/64)	175 (6"57/64)	421 (16"37/64)	822 (32"23/64)